

PM00050

Priority (Lowest Number Is Top Priority)	County Location	Implementing Agency	Bridge number from Inspection Report	Local Agency Bridge ID	Facility Carried	Feature Intersected	Location	Sufficiency Rating	SD/FO Status	Work Description	Deck Area (ft ²)	Total Particip. Cost	Unit Cost (\$/ft ²)	Federal Share	Running Fed Summary	Local Share	Running Local Share		
1	No	City of Santa Barbara	51C-0151	51C-0151	Mission Street	Mission Creek	West of Castillo Street	64.7	SD	(1) Repair the approach AC at both abutments (2) Treat the bridge deck with methacrylate (3) Remove entire closure pour and repair with suitable patching material	2,300	\$50,000	\$22	\$44,265	\$44,265	\$5,735	\$5,735		
2	No	City of Santa Barbara	51C-0147	51C-0147	Camillo Street	Mission Creek	West of Castillo Street	89.1	SD	(1) Treat the deck with methacrylate (2) Closure Pour Replacement and AC Fixes	3,135	\$60,000	\$16	\$44,265	\$88,530	\$5,735	\$11,470		
3	No	City of Santa Barbara	51C-0260	51C-0260	State Street	Mission Creek	0.01 Mile North of Cabrillo Boulevard	92.1	SD	(1) Crack Repair (2) Spall Repair (3) Expansion Joint Seal Replacement (4) Treat the deck with methacrylate	7,400	\$50,000	\$7	\$44,265	\$132,795	\$5,735	\$17,205		
4	No	City of Santa Barbara	51C-0289	51C-0289	Islay Street	Mission Creek	at Castillo Street	57.3		(1) Crack Repair (2) Spall Repair (3) Remove any unsound concrete and patch the spalling section of the sidewalk near Abutment 3	1,465	\$10,000	\$7	\$8,853	\$141,648	\$1,147	\$18,352		
5	No	City of Santa Barbara	51C-0128	51C-0128	Hollister Avenue	Tecololito Creek	0.1 Mile East of Los Cameros Road	90.6	SD	(1) Remove unsound concrete, sandblast rebar and patch the spalls in all girders in Span 2 (2) Treat the deck with methacrylate (3) AC overlay repair	5,750	\$40,000	\$7	\$35,412	\$177,060	\$4,588	\$22,940		
6	No	City of Santa Barbara	51C-0243	51C-0243	Alamar Avenue	Mission Creek	Near State Street	67.8	SD	(1) Crack Repair	2,060	\$10,000	\$5	\$8,853	\$185,913	\$1,147	\$24,087		
7	No	City of Santa Barbara	51C-0149	51C-0149	Arrellaga Street	Mission Creek	Near Castillo Street	89.9	SD	(1) Epoxy inject the severe horizontal crack in abutment 4 (2) Treat the deck with methacrylate	4,650	\$40,000	\$9	\$35,412	\$221,325	\$4,588	\$28,675		
8	No	City of Santa Barbara	51C-0261	51C-0261	James Fowler Road	San Pedro Creek	West of Fairview Avenue	75.0	SD	(1) Treat the deck with methacrylate (2) Repair Column (3) Deck core sampling to test for ASR and chloride content	4,000	\$60,000	\$15	\$53,118	\$274,443	\$6,882	\$35,557		
9	No	City of Santa Barbara	51C-0328	51C-0328	East Cabrillo Boulevard	Sycamore Creek	1/3 Mile East of Milpas Street	93.6		(1) Treat the deck with methacrylate	4,540	\$20,000	\$4	\$17,706	\$292,149	\$2,294	\$37,851		
10	No	City of Santa Barbara	51C-0323	51C-0323	Yanonali Street	Laguna Channel	South of Hwy 101	90.8		(1) Treat the deck with methacrylate	3,240	\$20,000	\$6	\$17,706	\$309,855	\$2,294	\$40,145		
11	No	City of Santa Barbara	51C-0133	51C-0133	State Street	Mission Creek	East of Alamar Ave	50.7	SD	(1) Crack Repair (2) Replace Timber Rail Elements	2,500	\$30,000	\$12	\$28,559	\$336,414	\$3,441	\$43,586		
12										Preliminary Engineering		\$57,000		\$50,462	\$388,876	\$6,538	\$50,124		
13										Construction Management		\$57,000		\$50,462	\$437,338	\$6,538	\$56,662		
<p>Project Prioritization</p> <p>Local Agencies must develop objective procedures to prioritize their preventive maintenance projects. These procedures must be included in the project files for review in future audits. High priority projects should include the repair of scour countermeasure, embankment erosion control and the repair, restoration, and strengthening of structural elements.</p> <p>Priority should be given to bridges that are not eligible for rehabilitation or replacement under the Federal Highway Bridge Program. The intent of the program is to keep these bridges in structurally good condition to maximize their service life and to conserve limited funds available for bridges that do require major rehabilitation or replacement. (Bridges eligible for rehabilitation or replacement are rated SD or FO and have a sufficiency rating of 80 or less.)</p> <p>Deadlines:</p> <p>Local agency transmits the BPMP with cover letter certifying compliance with these program guidelines. The electronic copy (any spreadsheet format) should be included on a CD with the paper transmittal letter. The DLAE's must receive the BPMPs by September 30th for funds to be obligated in the next FFY year, and January 30th of each year for adjustments. No time extensions will be granted.</p> <p>Accountability:</p> <p>Local Agencies are responsible for understanding and complying with the program requirements defined in the "Bridge Preventive Maintenance Program Guidelines For Local Agencies."</p>																			