

DEPARTMENT OF TRANSPORTATION

DIVISION OF ENGINEERING SERVICES

OFFICE ENGINEER

1727 30th Street MS-43

P.O. BOX 168041

SACRAMENTO, CA 95816-8041

FAX (916) 227-6214

www.dot.ca.gov/hq/esc/oe



*Serious Drought.
Help save water!*

May 20, 2016

02-Plu-89-20.0/20.6

02-0E24U4

Project ID 0215000146

ACSTP-P089(118)E

Addendum No. 2

Dear Contractor:

This addendum is being issued to the contract for CONSTRUCTION ON STATE HIGHWAY IN PLUMAS COUNTY AT GREENVILLE FROM 0.1 MILE NORTH OF SOUTH GREENVILLE OVERHEAD TO HILLSIDE DRIVE to revise the project plans, the *Notice to Bidders and Special Provisions*, and the *Bid* book.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on Thursday, June 2, 2016.

Project plan sheets 114, 168, 172, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194 and 195 are replaced and attached for substitution for the like-numbered sheets.

Project plan sheet 194A is added and attached for addition to the project plans.

In the *Notice to Bidders*, the seventh paragraph is revised as follows:

"The Contractor must have either a Class A license or one of the following Class C licenses: C-8, C-12, C-32."

In the *Notice to Bidders*, the tenth paragraph is replaced as follows:

"For the Federal Training program, the number of trainees or apprentices is 2."

In the *Special Provisions*, Section 12-2.02, the sixth paragraph is replaced as follows:

"The legend for the types of funding on construction project funding signs must read as follows and in the following order:

FEDERAL HIGHWAY TRUST FUNDS
STATE HIGHWAY FUNDS
PLUMAS COUNTY TRANSPORTATION FUNDS"

*"Provide a safe, sustainable, integrated and efficient transportation system
to enhance California's economy and livability"*

Addendum No. 2
Page 2
May 20, 2016

02-Plu-89-20.0/20.6
02-0E24U4
Project ID 0215000146
ACSTP-P089(118)E

In the Special Provisions, Section 86-6.14, is replaced as attached.

In the *Bid* book, in the "Bid Item List," Item 73 is replaced.

To *Bid* book holders:

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the *Notice to Bidders* section of the *Notice to Bidders and Special Provisions*.

Submit the *Bid* book as described in the *Electronic Bidding Guide* at the Bidders' Exchange website.

http://www.dot.ca.gov/hq/esc/oe/electronic_bidding/electronic_bidding.html

Inform subcontractors and suppliers as necessary.

This addendum, EBS addendum file and attachments are available for the Contractors' download on the Web site:

http://www.dot.ca.gov/hq/esc/oe/project_ads_addenda/02/02-0E24U4

If you are not a *Bid* book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,



DAVE MOORE
~~Acting~~ District Director

Attachments

Add to section 86-6

86-6.14 DECORATIVE LIGHTING

86-6.14A General

86.6.14A(1) Summary

This work includes installing decorative lighting including poles, luminaires, and support arms.

86-6.14A(2) Submittals

Before shipping lighting equipment to the jobsite, submit a list of materials, Contract number, and manufacturer's instructions for installation, and your contact information to METS.

Submit reports for decorative lighting from an NRTL-accredited lab.

Submit color sample for approval.

86-6.14B Quality Control and Assurance

86-6.14B(1) Warranty

Provide a 2-year manufacturer replacement warranty for luminaire from the date of installation of decorative lighting. Warranty documentation must be submitted before installation.

86-6.14C Materials

86-6.14C(1) Decorative Pole

Light pole must be a round, 18 foot long, 4 inch diameter straight shaft, with a wall thickness of 0.188 inches. Pole must be Broadway series, graphite metallic in color and manufactured by Cooper Lighting.

86-6.14C(2) Luminaire

Luminaire must be Cooper Lighting Classical Epic Medium fixture with the following options:

1. Solid midsection
2. Bell shade
3. Type 3 distribution
4. Graphite metallic in color

86-6.14C(2)(a) Electrical

Provide 55 W LED luminaire with two 7 LED lightbars with universal ballast (120-277 V(ac)).

86-6.14C(3) Support arm

Decorative support arm must be Cooper Lighting Bishop single pole support arm and graphite metallic in color.

86-6.14D Ordering Information

Part Number	Description
BWR1882RT4APKG	Broadway series light pole
CEM-F02-LED-E-U-T3-X-BL-AP	Classical Epic luminaire
SA6154-AP	Support arm
317RB408	Anchor bolts

86-6.14E Construction

Provide anchor bolts and install per pole manufacturer's instructions. Place foundations per PG&E Decorative Street Lighting Document No. 029690, which is included as an Information Handout. Install service conduit per PG & E Document No. 062288, "Underground Conduit", included as an information Handout. Complete PG & E Electric and Gas Service Requirements Manual can be found at: www.pge.com/greenbook.

86-6.14F Payment

Not used

**BID ITEM LIST
02-0E24U4**

Item No.	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
61	208738	8" CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT	LF	1,580		
62	210110	IMPORTED TOPSOIL (CY)	CY	150		
63	031038	EROSION CONTROL (DRY SEED)(GRASS)(SQFT)	SQFT	3,630		
64	031039	EROSION CONTROL (DRY SEED) (WILDFLOWER) (SQFT)	SQFT	14,200		
65	210600	COMPOST	SQFT	17,800		
66	210630	INCORPORATE MATERIALS	SQFT	17,800		
67	220101	FINISHING ROADWAY	LS	LUMP SUM	LUMP SUM	
68	260203	CLASS 2 AGGREGATE BASE (CY)	CY	5,780		
69	390132	HOT MIX ASPHALT (TYPE A)	TON	5,320		
70	394090	PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA)	SQYD	1,290		
71	397005	TACK COAT	TON	3.3		
72 (F)	510502	MINOR CONCRETE (MINOR STRUCTURE)	CY	73		
73	031040	RETROREFLECTIVE SHEETING (TYPE XI)	SQFT	260		
74	560248	FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED)	SQFT	78		
75	031041	FURNISH SINGLE SHEET ALUMINUM SIGN FOR TYPE XI SHEETING(0.063"-UNFRAMED)	SQFT	220		
76	031042	FURNISH SINGLE SHEET ALUMINUM SIGN FOR TYPE XI SHEETING (0.080"-UNFRAMED)	SQFT	36		
77	031043	FURNISH SINGLE SHEET ALUMINUM SIGN FOR TYPE XI SHEETING (0.063"-FRAMED)	SQFT	14		
78	566011	ROADSIDE SIGN - ONE POST	EA	45		
79	566012	ROADSIDE SIGN - TWO POST	EA	1		
80	568001	INSTALL SIGN (STRAP AND SADDLE BRACKET METHOD)	EA	4		