

**DEPARTMENT OF TRANSPORTATION**  
DIVISION OF ENGINEERING SERVICES  
OFFICE ENGINEER, MS 43  
1727 30<sup>TH</sup> STREET  
P.O. BOX 168041  
SACRAMENTO, CA 95816-8041  
FAX (916) 227-6214  
TTY (916) 227-8454



*Flex your power!  
Be energy efficient!*

**\*\* WARNING \*\* WARNING \*\* WARNING \*\* WARNING \*\***  
**This document is intended for informational purposes only.**

Users are cautioned that California Department of Transportation (Department) does not assume any liability or responsibility based on these electronic files or for any defective or incomplete copying, excerpting, scanning, faxing or downloading of the contract documents. As always, for the official paper versions of the bidders packages and non-bidder packages, including addenda write to the California Department of Transportation, Plans and Bid Documents, Room 0200, P.O. Box 942874, Sacramento, CA 94272-0001, telephone (916) 654-4490 or fax (916) 654-7028. Office hours are 7:30 a.m. to 4:15 p.m. When ordering bidder or non-bidder packages it is important that you include a telephone number and fax number, P.O. Box and street address so that you can receive addenda.

February 24, 2006

02-Sha-299-43.1/43.8  
02-1C1704

Addendum No. 1

Dear Contractor:

This addendum is being issued to the contract for construction on State highway in SHASTA COUNTY NEAR REDDING FROM 0.7 KM WEST OF OLD OREGON TRAIL UNDERCROSSING TO OLD OREGON TRAIL UNDERCROSSING.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on February 28, 2006.

This addendum is being issued to revise the Notice to Contractors and Special Provisions and the Proposal and Contract.

In the Proposal and Contract, the Engineer's Estimate Item 37 is revised as attached.

To Proposal and Contract book holders:

Replace page 4 of the Engineer's Estimate in the Proposal with the attached revised page 4 of the Engineer's Estimate. The revised Engineer's Estimate is to be used in the bid.

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the NOTICE TO CONTRACTORS section of the Notice to Contractors and Special Provisions.

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the proposal.

Submit bids in the Proposal and Contract book you now possess. Holders who have already mailed their book will be contacted to arrange for the return of their book.

Inform subcontractors and suppliers as necessary.

Addendum No. 1  
Page 2  
February 24, 2006

02-Sha-299-43.1/43.8  
02-1C1704

This office is sending this addendum by confirmed facsimile to book holders to ensure that each receives it. A copy of this addendum is available for the contractor's use on the Internet Site:

**[http://www.dot.ca.gov/hq/esc/oe/weekly\\_ads/addendum\\_page.html](http://www.dot.ca.gov/hq/esc/oe/weekly_ads/addendum_page.html)**

If you are not a Proposal and Contract book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,

ORIGINAL SIGNED BY

JODY JONES  
District 3 Director

Attachment

**ENGINEER'S ESTIMATE**  
**02-1C1704**

Item No.	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
21	153210	REMOVE CONCRETE	M3	4.2		
22	160101	CLEARING AND GRUBBING	LS	LUMP SUM	LUMP SUM	
23	170101	DEVELOP WATER SUPPLY	LS	LUMP SUM	LUMP SUM	
24	190101	ROADWAY EXCAVATION	M3	6580		
25	198007	IMPORTED MATERIAL (SHOULDER BACKING)	TONN	130		
26 (S)	203003	STRAW (EROSION CONTROL)	TONN	1.8		
27 (S)	203014	FIBER (EROSION CONTROL)	KG	360		
28 (S)	203024	COMPOST (EROSION CONTROL)	M3	1.3		
29 (S)	203045	PURE LIVE SEED (EROSION CONTROL)	KG	27		
30 (S)	203056	COMMERCIAL FERTILIZER (EROSION CONTROL)	KG	66		
31 (S)	203061	STABILIZING EMULSION (EROSION CONTROL)	KG	66		
32	260201	CLASS 2 AGGREGATE BASE	M3	2340		
33	390102	ASPHALT CONCRETE (TYPE A)	TONN	2360		
34	390106	ASPHALT CONCRETE (OPEN GRADED)	TONN	390		
35	394002	PLACE ASPHALT CONCRETE (MISCELLANEOUS AREA)	M2	140		
36	394046	PLACE ASPHALT CONCRETE DIKE (TYPE D)	M	900		
37 (F)	510502	MINOR CONCRETE (MINOR STRUCTURE)	M3	2.5		
38	566011	ROADSIDE SIGN - ONE POST	EA	10		
39	566012	ROADSIDE SIGN - TWO POST	EA	2		
40	664016	450 MM CORRUGATED STEEL PIPE (2.77 MM THICK)	M	13		